



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/780,262

02/17/2004

Lili Qiu

M1103.70167US00

3432

45840

7590

12/24/2008

WOLF GREENFIELD (Microsoft Corporation)  
C/O WOLF, GREENFIELD & SACKS, P.C.  
600 ATLANTIC AVENUE  
BOSTON, MA 02210-2206

EXAMINER

WU, JIANYE

ART UNIT

PAPER NUMBER

2416

MAIL DATE

DELIVERY MODE

12/24/2008

PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

<b>Office Action Summary</b>	<b>Application No.</b> 10/780,262	<b>Applicant(s)</b> QIU ET AL.	
	<b>Examiner</b> Jianye Wu	<b>Art Unit</b> 2416	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 10 November 2008.
- 2a) ☐ This action is **FINAL**.                      2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1-20 and 23-25 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-20 and 23-25 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \*    c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |  |   |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892)                     | 4) <input type="checkbox"/> Interview Summary (PTO-413)           |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____                                      |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)          | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____  | 6) <input type="checkbox"/> Other: _____                          |

## **DETAILED ACTION**

### ***Continued Examination Under 37 CFR 1.114***

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 8/22/08 has been entered.

### ***Response to Arguments/Amendments***

2. Applicant's arguments filed on 11/10/2008 have been fully considered, but are moot since all independent claims have been amended and new ground rejections are made based on amended claims. Please see new ground rejection in the following for details.

3. The following are some comments regarding newly added limitations in amendment:

a) claim 1 recites "a contention-based media access control (MAC)". The well known Ethernet (disclosed by Ayyagari) has a contention-based MAC layer base on IEEE 802.3, which is the MAC based on most wireless protocols. This is a common knowledge in the art.

b) Applicant argues that there is no reason to combine Chow and Ayyagari (page 14, last paragraph). Examiner respectfully disagrees. Chow teaches network plan by deciding new nodes or links to the existing network. Ayyagari teaches detailed network

performance and capacity analysis. Both of them are in the same field of endeavor, and it would be obvious to one skilled in the art to use the performance and capacity analysis techniques disclosed by Ayyagari in the network planning by Chow to ensure the planned network to have sufficient performance and capacity to meet desired requirement.

***Claim Rejections - 35 USC § 101***

1. 35 U.S.C. 101 reads as follows:

Whoever invents or discovers any new and useful process, machine, manufacture, or composition of matter, or any new and useful improvement thereof, may obtain a patent therefor, subject to the conditions and requirements of this title.

2. **Claim 16, 18, 20, 25** are rejected under 35 U.S.C. 101 because the claimed invention is directed to non-statutory subject matter.

Claims **16, 18, 20, 25**, recite “A computer-readable medium”, which is defined in Specification include “communication media” as “communications media include wired media, such as wired networks and direct-wired connections, and wireless media such as acoustic, radio, infrared, and other wireless media” ([0023]). The claimed “computer-readable medium” that includes “communication media” is non-statutory subject matter since it is not a process, machine, manufacture nor composition of matter; see MPEP 2106(IV)(B)(1).

Correction is required.

***Claim Rejections - 35 USC § 103***

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148

USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.
2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.
4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

5. **Claims 1-2, 9, 16-20 and 23-25** are rejected under 35 U.S.C. 103(a) as being unpatentable over Chow (US 6771966 B1, hereinafter **Chow**) in view of Ayyagari et al. (US 20020101822, hereinafter Ayyagari).

For **claims 1**, Chow discloses a method for determining placement of internet taps (ITAPS) (new nodes to be added to networks, FIG. 17) in network (determining and providing “node site information”, col. 20, line 61-62 and FIG. 12), the method comprising:

accepting connectivity information for the network (accepting “node site information provided”, col. 20, line 61-62 in view of FIG. 7, the network being a multi-hop wireless mesh network employing a MAC protocol (MAC sub-layer of nodes in the network as every node in a radio network has a MAC sub-layer, and all MAC sub-layer are connection-based with radio links) and comprising nodes and links between the nodes, the connectivity information (FIG. 7, shows the connectivity information of existing nodes and links [solid lines]);

accepting connectivity information for the network (“node site information provided”, col. 20, line 61), and a set of potential ITAPs to be opened (new set of nodes and links to be placed on the network, FIG 7); iterating through the set of potential ITAPs to be opened (iterative process, col. 9, lines 66-67); selecting an ITAP, from the set of potential ITAPs (selecting links, col. 10, line 64) to be opened, to be added to a set of currently open ITAPs (the existing nodes on the network), wherein the selected ITAP increases the node demands satisfied when opened together with ITAPs in the set of currently open ITAPs (make selection using the iterative process described in col. 9, lines 66-67); adding the selected ITAP to the set of currently opened ITAPs (add the node selected by the iterative process described in col. 9, lines 66-67); repeating the iterating, selecting, and adding until all the node demands are satisfied (repeated until satisfied, col. 9, lines 66-67); and implementing the set of currently opened ITAPs in the network (implementing the set of nodes selected by the iterating above).

Chow is **silent on** that the MAC is the contention-based MAC and the network connectivity information comprising link capacity constraints, node capacity constraints, node demands for flow.

In the same field of endeavor, Ayyagari et al. (US 20020101822) discloses Ethernet ([0005]) that has a the contention-based MAC based on IEEE 802.3, which is also used by most wireless communication protocols. Ayyagari further discloses that a wireless network comprises multiple nodes and links (wireless network shown in Fig. 3 or in Fig. 7) whose connectivity information comprises link capacity constraints (“link’s capacity”, [0058]), node capacity constraints (“the capacity allocated to each node”,

[0025]), and node demands for flow ("node demands a higher share of the bandwidth", [0071]); One skilled in the art would apply the ITAP placement method disclosed by Chow to the multi-hub wireless network disclosed by Ayyagari as suggested by Chow in claim 1 for the benefit of achieving minimized interference (col. 3, line 20-24 of Chow).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time of the invention to use contention-based MAC and the performance and capacity analysis techniques disclosed by Ayyagari in the ITAP placement planning disclosed by Chow to ensure the planned network to have sufficient performance and capacity to meet desired requirement.

As to **claim 2**, Chow in view of Ayyagari discloses the method of claim 1, Chow further discloses the selecting is repeated until the set of potential ITAP (new node or links to be added) to be opened is exhausted and the potential ITAP is the the potential ITAP which maximizes the node demands satisfied ("the iterative process is repeated until the engineer is satisfied with the layout", col. 9, lines 66-67).

As to **claim 9**, Chow in view of Ayyagari discloses the method of claim 1, Chow further discloses the potential ITAP (new node or links to be added) selected is the first potential ITAP which increases the node demands satisfied ("the iterative process is repeated until the engineer is satisfied with the layout", col. 9, lines 66-67). This is a broader version of claim 2.

For **claims 17**, it is the claim 1 with iterating through a set of time intervals instead of the set of potential ITAPs.

Chow in view of Ayyagari discloses everything in claim 1, but is **silent on** iterating through a set of time intervals.

However, from mathematical point of view, iterating process can be applied to different parameters; In other words, the iterating process over a set of potential ITAPs is substantially the same as the iterating process over a set of time intervals.

Therefore, it would have been obvious to a person of ordinary skill in the art at the time of the invention to modify Chow with Discenzo for iterating over time intervals for optimization.

For **claims 19**, it is rejected for the same reason explained in claim 17 above because it is a minor modification of claim 17 with objective being “largest node demand” instead of “total of node demands”.

**Claims 16, 18 and 20** are the corresponding computer-readable medium claims of claims 1, 17 and 19, therefore, are rejected for the same reason explained above and because using a computer-readable medium to store instructions for implanting a method is well known in the art.

For **claims 23**, a method and computer-readable medium containing instructions for reducing potential placement locations of internet taps (ITAPs) in a multi-hop wireless mesh network by identifying equivalence classes of nodes in the network which may be serviced by the same ITAP, the method comprising:

accepting equivalence class information for the network;

determining whether a first equivalence class is covered by a second equivalence class; and



eliminating the first equivalence class from consideration as a potential placement location for an ITAP if the first equivalence class is covered by the second equivalence class.

Chow teaches selecting desired location for ITAP in order to increase the coverage of service area (Col. 2, lines 47-58). If “a second equivalence class” in the claim is interpreted as a chosen class whose location is selected already, what the claim teaches is to eliminate a location for an ITAP that can not provide service for more nodes, which is general knowledge in the art and is obvious to an person with ordinary skill in the art since selecting such a location would not increase the network coverage area, therefore, would not result in any benefits. Therefore, the claim is rejected since it is disclosed by general knowledge in the art.

As to **claim 24**, it is rejected for the same reason as explained in claim 23 because it simply repeats the steps defined in claim 23.

As to **claim 25**, it is the corresponding computer-readable medium claim of claim 23, therefore, is rejected for the same reason.

6. **Claims 3 and 10** are rejected under 35 U.S.C. 103(a) as being unpatentable over Chow in view of Ayyagari, further in view of Bush et al. (US 2004/0250128 A1, hereinafter Bush).

As to **claim 3 and 10**, Chow in view of Ayyagari discloses the method of claim 2 and 9, and further teaches selecting ITAPs by computing corresponding max-flows of the network when the ITAPs are added to the network in different ways, including:

creating a subgraph (Fig. 7) induced on a set of nodes, a set of currently opened ITAPs (solid nodes in Fig. 7), and a potential ITAP (705 of Fig. 7) to be opened;

adding a source node, the source node having edges of capacity equal to the demand of the transformed node from the source to each node in the network; adding a destination node, the destination node having edges of capacity equal to the capacity of each currently opened ITAP and the potential ITAP to be opened, from each currently opened ITAP and the potential ITAP to be opened to the destination node; and computing the maximum flow from the source node to the destination node. (This limitation is inherent for calculating max-flow of between 2 given mobile terminals via a network. To calculate the max flow between 2 given mobile terminals via a network, one has to add the two nodes with one for each mobile terminal to the topology of the network, then calculate the max flow between the 2 nodes).

Chow in view of Ayyagari is **silent on** transforming each node's capacity constraint to an edge capacity constraint by replacing each node with a first node and a second node, the first node accepting all incoming edges to the transformed node and all outgoing edges from the transformed node originating from the second node, and creating a directed edge, having the node's capacity, from the first node to the second node.

Directed graph are often used in network analysis which include capacity modeling and flow control, such as taught by Bush in determining max-flow (maximum flow analysis, [0040], line 1-2) of directed graph ([0036] and FIG. 3).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time of the invention to modify Chow with Bush in using directed subgraph for computing the max-flow of the network in order to use network efficiently.

7. **Claims 4, 7-8, 11 and 14-15** are rejected under 35 U.S.C. 103(a) as being unpatentable over Chow in view of Lee et al. (US 2003/0099194 A1, hereinafter Lee).

As to **claim 4**, Chow discloses the method of claim 2 wherein the selecting of the ITAP, from the set of potential ITAPs to be opened, which maximizes the node demands satisfied (col. 9, lines 66-67), but is **silent on** including: developing a linear program to compute maximum demands satisfied in the wireless neighborhood network by opening the selected ITAP in conjunction with the set of currently opened ITAPs, wherein the linear program treats throughput of a connection as independent of path length;

modifying the linear program to ensure that flow from each node is served by independent paths;

modifying the linear program to multiply the node demand by the number of independent paths;

modifying the linear program to multiply the capacity constraints by a ratio of an over-provisioning factor to the number of independent paths; and

solving the resulting linear program.

However, the above limitations are common procedure of solving a max-flow problem ([0040], line 8-9) using linear programming, which is well known to persons skilled in the art as suggested by Lee ([0040], line 8-14).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time of the invention to modify Chow with Lee for computing the max-flow of the network in order to use network efficiently.

As to **claim 7**, Chow discloses the method of claim 2 wherein the selecting of the ITAP, from the set of potential ITAPs to be opened, which maximizes the node demands satisfied (col. 9, lines 66-67), but is **silent on** the method including:

developing a linear program to compute maximum demands satisfied in the wireless neighborhood network by opening the selected ITAP in conjunction with the set of currently opened ITAPs, wherein the linear program treats throughput of a connection as a function of a number of hops the connection traverses ([0003]);

denoting an amount of flow routed through an edge based on a position of the edge along a path;

modifying the linear program to limit the maximum flow from each node; and  
solving the resulting linear program.

However, the above limitations are common procedure of solving a max-flow problem ([0040], line 8-9) using linear programming, which is well known to persons skilled in the art as suggested by Lee ([0040], line 8-14).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time of the invention to modify Chow with Lee for computing the max-flow of the network in order to use network efficiently.

As to **claim 8**, Chow discloses the method of claim 2 wherein the selecting of the ITAP, from the set of potential ITAPs to be opened, which maximizes the node demands satisfied comprises:

developing a linear program to compute maximum demands satisfied in the wireless neighborhood network by opening the selected ITAP in conjunction with the set of currently opened ITAPs, wherein the linear program treats throughput of a connection as a function of a number of hops the connection traverses;

modifying the linear program to ensure that flow from each node is served by independent paths (e.g., [0066]);

modifying the linear program to multiply the node demand by the number of independent paths (e.g., [0066]);

modifying the linear program to multiply the capacity constraints by a ratio of an over-provisioning factor to the number of independent paths (e.g., [0098]); and

solving the resulting linear program.

However, the above limitations are typical techniques of applying common procedure of solving a max-flow problem using linear programming, which is well known to persons skilled in the art as suggested by Lee ([0040], line 8-14)

Therefore, it would have been obvious to a person of ordinary skill in the art at the time of the invention to modify Chow with Lee for computing the max-flow of the network in order to use network efficiently.

As to **claims 11** and **14-15**, they are rejected for the same reasons as explained in claims 4 and 7-8, respectively because claims 4 and 7-8 include all limitations of claims 11 and 14-15.

8. **Claims 5-6** and **12-13** are rejected under 35 U.S.C. 103(a) as being unpatentable over Chow in view of McGlade, Bryan J. (US 6411598 B1, hereinafter McGlade).

As to **claim 5**, Chow discloses the method of claim 2 wherein the selecting of the ITAP, from the set of potential ITAPs to be opened, which maximizes the node demands satisfied comprises satisfied (col. 9, lines 66-67), but is **silent on** the method including:

- finding the shortest path from demand points to opened ITAPs;
- routing one unit of flow along the shortest path; decreasing capacities of edges on the path by one; and
- repeating the finding, routing, and decreasing until the shortest path found has a length greater than a hop-count bound.

McGlade teaches finding a shortest path (Col. 13, line 5) in terms of hop-count (Col. 13, line 4-6). Since an ITAP can either be considered as a node, or as a part of a node, the technique of finding a shortest path in general networks can be applied to networks with ITAPs.

Therefore, it would have been obvious to a person of ordinary skill in the art at the time of the invention to modify Chow with McGlade for computing the max-flow of the network in order to use network efficiently.

As to **claim 6**, Chow discloses the method of claim 2 wherein the selecting of the ITAP, from the set of potential ITAPs to be opened, which maximizes the node demands satisfied (col. 9, lines 66-67), but is **silent on** the method including:

finding a shortest path from demand points to opened ITAPs;

routing one unit of flow along the shortest path; decreasing capacities of edges on the path by one;

repeating the finding, routing, and decreasing until no path between any demand point and any open ITAP remains; and

computing a demand satisfied along each path according to a throughput function.

McGlade teaches finding the shortest path (Col. 13, line 5) and computing the max flow (Col. 17, line 18-20) along the path. Since an ITAP can either be considered as a node, or as a part of a node, the technique of finding a shortest path in general networks can be applied to networks with ITAPs.

Therefore, it would have been obvious to a person of ordinary skill in the art at the time of the invention to modify Chow with McGlade for computing the max-flow of the network in order to use network efficiently.

As to **claims 12-13**, they are rejected for the same reasons as explained in claims 5-6, respectively, because claims 5-6 include all limitations of claims 12-13.

***Conclusion***

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jianye Wu whose telephone number is (571)270-1665. The examiner can normally be reached on Monday to Friday, 8am to 5pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Seema Rao can be reached on (571)272-3174. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Jianye Wu/

Examiner, Art Unit 2416

/Seema S. Rao/

Supervisory Patent Examiner, Art Unit 2416